

In the claims:

1. (cancelled)
2. (cancelled)
3. (cancelled)
4. (cancelled)
5. (cancelled)
6. (cancelled)
7. (previously presented) An access point operable to provide wireless network access to client devices coupled to a wireless network, the access point comprising:
 - a controller that automatically chooses one of a plurality of radio frequencies on which to operate, said controller choosing said frequency after evaluating frequencies on which other access points operate, said controller comprising:
 - a. logic for picking a frequency;
 - b. logic for transmitting on said frequency;
 - c. logic for receiving on said frequency;
 - d. logic for evaluating whether other access points are heard on said frequency;
 - e. logic for reducing transmission power;

- f. logic for evaluating whether said other access points are still heard on said frequency;
- g. logic for storing the transmission power at which no other access points are heard;
- h. logic for picking a next frequency as the frequency and repeating steps b-g until all of the plurality of frequencies has been picked;
- i. logic for comparing said stored transmission powers;
- j. logic for choosing for operation the frequency associated with the highest stored transmission power.

8. (cancelled)

9. (cancelled)

10. (cancelled)

11. (cancelled)

12. (cancelled)

13. (cancelled)

14. (previously presented) A method comprising the steps of:
- providing an access point operable to provide wireless network access to client devices coupled to a wireless network;

automatically choosing by the access point one of a plurality of radio frequencies on which to operate, after evaluating frequencies on which other access points operate,

wherein the step of automatically choosing comprises the steps of:

- a. picking a frequency;
- b. transmitting on said frequency;
- c. receiving on said frequency;
- d. evaluating whether other access points are heard on said frequency;
- e. reducing transmission power;
- f. evaluating whether said other access points are still heard on said frequency;
- g. storing the transmission power at which no other access points are heard;
- h. picking a next frequency as the frequency and repeating steps b-g until all of the plurality of frequencies has been picked;
- i. comparing said stored transmission powers;
- j. choosing for operation the frequency associated with the highest stored transmission power.

15. (cancelled)

16. (cancelled)

17. (cancelled)

Serial No. 10/673636

Art Unit: 2617

18. (cancelled)

19. (cancelled)

20. (cancelled)

21. (cancelled)